

RESTRICTED USE PESTICIDE

TOXIC TO FISH AND AQUATIC ORGANISMS - For retail sale to and use only by Certified Applicators, or persons under their direct supervision and only for those uses covered by Certified Applicator's Certification.

ALPA-LC SC

Insecticide

CLOTHIANIDIN	GROUP	4A	INSECTICIDE
BIFENTHRIN	GROUP	3A	INSECTICIDE

For Contact and Systemic Insect Pest Control in Landscape Ornamentals, and Ornamental Trees (Including Non-Bearing Fruit Trees), Lawns and Around Residential, Institutional, Public, Commercial and Industrial Buildings, Parks, Recreational Areas, and Athletic Fields.

ACTIVE INGREDIENTS:	WT. BY %
Clothianidin: (E)-1-(2-chloro-1,3-thiazol-5-ylmethyl)-3-methyl-2-nitroguanidine	24.7%
Bifenthrin: (2-methyl[1,1'-biphenyl]-3-yl)methyl 3-(2-chloro-3,3,3-trifluoro-1-propenyl)-2,2-dimethyl-cyclopropanecarboxylate	12.3%
OTHER INGREDIENTS:	63.0%
TOTAL:	100.0%

Contains 2.22 lbs. of Clothianidin and 1.10 lbs. of Bifenthrin per gallon.

KEEP OUT OF REACH OF CHILDREN WARNING/AVISO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.
(if you DO NOT understand this label, find someone to explain it to you in detail.)

See label booklet for complete First Aid, Precautionary Statements, Directions For Use, and Storage and Disposal.

EPA Reg. No. 83529-245 EPA Est. No. **GH** 70815-GA-002; **MA** 83411-MN-001; **MC** 89332-GA-001;
SC 39578-TX-001; **TX** 07401-TX-001

The EPA Establishment Number is identified by the circled letters above that match the first two letters in the batch number.

Manufactured For:

Sharda USA LLC 

7217 Lancaster Pike, Suite A, Hockessin, Delaware 19707

Net Contents: 64 fl. oz.

FIRST AID

IF SWALLOWED:	<ul style="list-style-type: none">• Call a poison control center or doctor immediately for treatment advice.• Have person sip a glass of water if able to swallow.• DO NOT induce vomiting unless told to do so by a poison control center or doctor.• DO NOT give anything by mouth to an unconscious person.
IF INHALED:	<ul style="list-style-type: none">• Move person to fresh air.• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.• Call a poison control center or doctor for further treatment advice.
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none">• Take off contaminated clothing.• Rinse skin immediately with plenty of water for 15 - 20 minutes.• Call a poison control center or doctor for treatment advice.
IF IN EYES:	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15 - 20 minutes.• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.• Call a poison control center or doctor for treatment advice.

HOTLINE NUMBER

Have the product container or label with you when calling a poison control center or doctor or going for treatment. For emergency information concerning this product, call your poison control center at **1-800-222-1222**.

NOTE TO PHYSICIAN

This pesticide contains a pyrethroid. If significant quantities have been swallowed, promptly eliminate the ingested quantities from the stomach and intestines. Treatment is symptomatic and supportive. Alcohol, milk, cream and other digestible fats and oils should **NOT** be administered as they may increase absorption.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING

May be fatal if swallowed. Harmful if inhaled. Harmful if absorbed through skin. Causes moderate eye irritation. Avoid breathing spray mist or vapor. Avoid contact with skin, eyes, or clothing.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators and other handlers must wear:

- Long-sleeved shirt and long pants
- Shoes plus socks
- Chemical-resistant gloves made out of: barrier laminate, butyl rubber \geq 14 mils, nitrile rubber \geq 14 mils, neoprene rubber \geq 14 mils, polyvinyl chloride \geq 14 mils, or viton \geq 14 mils

Follow the manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to fish and aquatic invertebrates. To protect the environment, **DO NOT** allow pesticide to enter or run off into storm drains, drainage ditches, gutters, or surface waters.

Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid runoff to water bodies or

drainage systems. Drift and runoff may be hazardous to aquatic organisms in neighboring areas. **DO NOT** apply where runoff is likely to occur.

This product is toxic to bees exposed to treatment and for more than 5 days following treatment. **DO NOT** apply this product to blooming, pollen-shedding or nectar-producing parts of plants if bees may forage on the plants during this time period, unless the application is made in response to a public health emergency declared by appropriate State or Federal authorities.

PROTECTION OF POLLINATORS



APPLICATION RESTRICTIONS EXIST FOR THIS PRODUCT BECAUSE OF RISK TO BEES AND OTHER INSECT POLLINATORS. FOLLOW APPLICATION RESTRICTIONS FOUND IN THE DIRECTIONS FOR USE TO PROTECT POLLINATORS.



Look for the bee hazard icon in the Directions for Use for each application site for specific use restrictions and instructions to protect bees and other insect pollinators.

This product can kill bees and other insect pollinators.

Bees and other insect pollinators will forage on plants when they flower, shed pollen, or produce nectar.

Bees and other insect pollinators can be exposed to this pesticide from:

- Direct contact during foliar applications, or contact with residues on plant surfaces after foliar applications.
- Ingestion of residues in nectar and pollen when the pesticide is applied as a seed treatment, soil, tree injection, as well as foliar applications.

(continued)

PROTECTION OF POLLINATORS *(continued)*

When Using This Product Take Steps To:

- Minimize exposure of this product to bees and other insect pollinators when they are foraging on pollinator attractive plants around the application site.
- Minimize drift of this product on to beehives or to off-site pollinator attractive habitat. Drift of this product onto beehives or off-site to pollinator attractive habitat can result in bee kills.

Information on protecting bees and other insect pollinators may be found at the Pesticide Environmental Stewardship website at: <http://pesticidestewardship.org>

Pesticide incidents (for example, bee kills) must immediately be reported to the State/ Tribal lead agency. For contact information for your State, go to: <http://www.aapco.org>. Pesticide incidents must also be reported to the National Pesticide Information Center at: www.npic.orst.edu or directly to EPA at: beekill@epa.gov

DIRECTIONS FOR USE

RESTRICTED USE PESTICIDE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH PRECAUTIONARY STATEMENTS AND DIRECTIONS AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS. DO NOT** apply this product in any way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

See individual crops/use sites for specific pollinator protection application restrictions. If none exist under the specific crop/use sites, for foliar applications, follow these application directions for crops that are for food/feed and commercially grown ornamentals that are attractive to pollinators and for non-agricultural uses:



FOR FOOD CROPS AND COMMERCIALY GROWN ORNAMENTALS NOT UNDER CONTRACT FOR POLLINATION SERVICES BUT ARE ATTRACTIVE TO POLLINATORS:

This product is toxic to bees exposed to treatment for more than 5 days following treatment. **DO NOT** apply this product to blooming, pollen-shedding or nectar producing parts of plants if bees may forage on the plants during this time period.



NON-AGRICULTURAL USES:

DO NOT apply **ALPA-LC SC Insecticide** while bees are foraging. **DO NOT** apply **ALPA-LC SC Insecticide** to plants that are flowering.

1. Only apply **ALPA-LC SC Insecticide** after all flower petals have fallen off. All outdoor applications must be limited to spot or crack-and-crevice treatments only, except for the following permitted uses:

1. Treatment to soil or vegetation around structures; and
2. Applications to lawns, turf, and other vegetation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard (WPS), 40 CFR Part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions on this label about personal protective equipment (PPE) notification to workers and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

DO NOT enter or allow entry into treated areas during the restricted-entry interval (REI) of **12 hours**.

PPE required for early entry into treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, including plants, soil, or water is:

- Coveralls
- Shoes plus socks
- Chemical-resistant gloves

NON-AGRICULTURAL USE REQUIREMENTS

The requirements in the box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms (including sod farms) and forests.

Keep children and pets off treated area until the spray has dried.

PRODUCT INFORMATION

ALPA-LC SC Insecticide is a long-lasting contact and systemic insecticide for control of listed insects infesting ornamentals in landscapes and surrounding areas. **ALPA-LC SC Insecticide** can be used around residences, business complexes, industrial complexes, airports, playgrounds, school yards, parks and recreation areas, athletic fields, cemeteries, and arboretums.

Restrictions:

- Not for residential use.
- **DO NOT** apply to any impervious surfaces.
- **DO NOT** allow children or pets on treated surfaces until spray has dried.
- **DO NOT** apply by air.
- **DO NOT** water the treated area to the point of runoff.
- **DO NOT** make applications during rain.
- **DO NOT** apply through any type of irrigation system.
- Application is prohibited directly into sewers or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur. **DO NOT** allow the product to enter any drain during or after application.
- **DO NOT** apply within a 25-foot radius of the following: Lakes, reservoirs, rivers, permanent streams, marshes or natural ponds, estuaries, and commercial fish farm ponds.
- **DO NOT** apply on the following: Commercial nurseries, commercial greenhouses and grass grown for seed.
- **DO NOT** mow until after irrigation or rainfall has occurred.
- **DO NOT** apply this product, by any application method, to linden, basswood, or other *Tilia* species.

INSECT RESISTANCE MANAGEMENT

For resistance management, please note that **ALPA-LC SC Insecticide** contains both a Group 4A (clothianidin) and Group 3A (bifenthrin) insecticides. Any insect population may contain individuals naturally resistant to **ALPA-LC SC Insecticide** and other Group 4A and 3A insecticides. The resistant individuals may dominate the insect population if these insecticides are used repeatedly in the same fields. Appropriate resistance-management strategies should be followed.

To delay insecticide resistance, take the following steps:

- Rotate the use of **ALPA-LC SC Insecticide** or other Group 4A and 3A insecticides within a growing season, or among growing seasons, with different groups that control the same pests.
- Use tank mixtures with insecticides from a different group that are equally effective on the target pest when such use is permitted. Do not rely on the same mixture repeatedly for the same pest population. Consider any known cross-resistance issues (for the targeted pests) between the individual components of a mixture.
- In addition, consider the following recommendations provided by the Insecticide Resistance Action Committee (IRAC):
 - Individual insecticides selected for use in mixtures should be highly effective and be applied at the rates at which they are individually registered for use against the target species.
 - Mixtures with components having the same IRAC mode of action classification are not recommended for insect resistance management.
 - When using mixtures, consider any known cross-resistance issues between the individual components for the targeted pest(s).
 - Mixtures become less effective if resistance is already developing to one or both active ingredients, but they may still provide pest management benefits.
 - The insect resistance management benefits of an insecticide mixture are greatest if the two components have similar periods of residual insecticidal activity. Mixtures of insecticides with unequal periods of residual insecticide activity may offer an insect resistance management benefit only for the period where both insecticides are active.
- Adopt an integrated pest management program for insecticide use that includes scouting, uses historical information related to pesticide use, crop rotation, record keeping, and which considers cultural, biological, and other chemical control practices.
- Monitor after application for unexpected target pest survival. If the level of survival suggests the presence of resistance, consult with your local university specialist or certified pest control advisor.
- Contact your local extension specialist or certified crop advisors for any additional pesticide resistance-management and/or IPM recommendations for the specific site and pest problems in your area.
- For further information or to report suspected resistance, contact Sharda USA LLC at ShardaUSA.com.

PREPARATION OF SPRAY MIXTURES AND APPLICATION

Begin with clean equipment. Add sufficient clean water to the spray tank for one-half of the mix load. Start tank agitation. Add the necessary amount of **ALPA-LC SC Insecticide** before adding any other products. Agitate to ensure thorough mixing while adding the remaining water. Maintain agitation during mixing and application. Apply with properly calibrated spray equipment. If agitation is stopped for any reason the spray solution must be thoroughly remixed prior to any further use.

Use sufficient water volume to provide uniform coverage of the ornamental plants. For control of listed surface insects, **DO NOT** water in until at least 48 hours after the application. If the target insects are in the thatch, either apply **ALPA-LC SC Insecticide** in enough spray volume to wet the thatch or lightly water in after application with enough water to wet the thatch zone.

For control of existing grub populations, water in after application with enough water to move the insecticide into the root zone where the grubs are feeding. It is the pesticide user's responsibility to ensure that all products are registered for the intended use. Read and follow the applicable restrictions and limitations and directions for use on all product labels involved in tank mixing. Users must follow the most restrictive directions for use and precautionary statements of each product in the tank mixture.

APPLICATION INSTRUCTIONS

LANDSCAPE ORNAMENTALS

ALPA-LC SC Insecticide is a contact and long-lasting systemic insect control product for listed insects infesting landscape ornamentals. **ALPA-LC SC Insecticide** can be used around residences, business complexes, industrial complexes, airports, playgrounds, school yards, parks and recreation areas, athletic fields, cemeteries, and arboretums.

For foliar applications, apply volume of spray solution to wet the surface of the leaves to the point of drip.

For control of listed surface insects and insects that crawl along the surface of the soil or mulch under ornamentals, water in lightly after application to move the insecticide into the areas where insects are active. Water in with enough irrigation or rainfall to move the active ingredient into the zone where the target insects are active. Soil surface applications will provide control of foliage feeding insects; however, optimum control will not be achieved until the active ingredient is taken up by the plant roots and translocated to the area where insects are feeding.

Restrictions:

- **DO NOT** apply more than a total of 23.3 fl. oz. of **ALPA-LC SC Insecticide** (0.4 lb. clothianidin a.i., 0.2 lb. bifenthrin a.i.) per acre per calendar year.
- If the maximum season limit of **ALPA-LC SC Insecticide** has been applied and pest populations require additional treatments, use another pesticide labeled for control of the targeted insects that does not contain clothianidin. You may also use additional products containing bifenthrin as long as the maximum amount of bifenthrin does not exceed 0.4 lb. a.i. per acre per calendar year.
- Follow application restrictions on this label, designated by the bee icon, to protect bees and other insect pollinators.

LANDSCAPE ORNAMENTALS

Foliar Insect Pests Controlled		Foliar Application	Application Instructions
Aphids Caterpillars Leafhoppers	Mealybugs White Flies	3.6 - 15.5 fl. oz. per 100 gals. (5 - 22.5 fl. oz. per acre based on 150 gals. of spray per acre)	Target the spray towards the areas where the insects are active. Use enough water carrier to wet the surfaces on the target plants to the point of drip.
Ants ¹ Bagworms Back Vine Weevil (Adults) Brown Soft Scale Budworms California Red Scale (Crawlers) Chiggers Clover Mites Crickets	Cutworms Earwigs Elm Leaf Beetles Flea Beetles Japanese Beetles (Adults) Plant Bugs Spiders Tent Caterpillars Tip Moths Weevils	5 - 15.5 fl. oz. per 100 gals. (7.5 - 22.5 fl. oz. per acre based on 150 gals. of spray per acre)	Repeat applications may be made if insects reappear but DO NOT exceed a total of 0.54 fl. oz. of ALPA-LC SC Insecticide per 1,000 sq. ft. of landscape.
Adelgids Azalea Lace Bug Beetles Cicadas (Adults) Citrus Thrips <i>Diaprepes</i> (Adults) Florida Wax Scale Glassy-winged Sharpshooter	Gypsy Moth Lace Bugs Leafminers Leafrollers Mites ² Pine Needle Scales (Crawlers) Plant Bugs (incl. <i>Lieges</i> spp.) Scales, Soft	8 - 15.5 fl. oz. per 100 gals. (12 - 22.5 fl. oz. per acre based on 150 gals. of spray per acre)	

(continued)

LANDSCAPE ORNAMENTALS (continued)

Soil Insect Pests Controlled		Soil Surface or Mulch Application	Application Instructions
Ants, Nuisance (Excluding Fire, Harvester, Pharaoh, and Carpenter Ants) Beet Armyworm Beetles Black Vine Weevils (Larvae) Centipedes Crickets Cutworms <i>Diaprepes</i> (Adults) Earwigs Fall Armyworms Grasshoppers	Millipedes Pill Bugs White Grubs (Asiatic Garden Beetle, European Chafer, Green June Beetle, Japanese Beetle, Northern Masked Chafer, <i>Phyllophaga</i> spp. (May or June Beetle), Oriental Beetle, Southern Masked Chafer)	0.27 - 0.54 fl. oz. per 1,000 sq. ft. (11.65 - 23.3 fl. oz. per acre)	Apply in enough water to wet the areas where the insects are active or water in after applications with enough irrigation to move the insecticide into the areas where insects are active. For ornamental trees and woody shrubs, see below.

(continued)

LANDSCAPE ORNAMENTALS (continued)

Above Ground Insect Pests Controlled	Soil Surface or Mulch Application	Application Instructions
Aphids Azalea Lace Bug Black Vine Weevil (Adults) Borers* Caterpillars Flea Beetles Florida Wax Scale Glassy-winged Sharpshooter Gypsy Moth Caterpillars Japanese Beetles (Adults) Leafhoppers Leafminers Leafrollers Mealybugs Plant Bugs (incl. <i>Lygus</i> spp.) Root Weevils (incl. Black Vine Weevils) Scales, Soft Whiteflies	0.34 - 0.54 fl. oz. per 1,000 sq. ft. (15 - 23.3 fl. oz. per acre)	Apply in enough water to wet the root zone of the plants. Control of leaf feeding insects will be delayed until the insecticide is taken up by the roots and moved into the areas where insects are feeding, usually 2 - 4 weeks. For ornamental trees and woody shrubs see below.

*For Bronze Birch Borers, Flatheaded Borers, and other borers (excluding Emerald Ash Borers and Asian Longhorned Beetles): Use a drench treatment around the trunk of the trees when the trees are actively growing. Mix 0.5 fl. oz. of **ALPA-LC SC Insecticide** in 10 gals. of water and apply 2 qts. of the mixture per 1 inch DBH in a 1 - 2 ft. area around the trunks of the trees.

¹ **ALPA-LC SC Insecticide** will control aphids, scale insects, mealybugs and other sucking pests on ornamentals and limit the honeydew available as a food source for ant populations. Ants (excluding fire, harvester, carpenter, and pharaoh ants) present at the time of application will also be controlled.

² **ALPA-LC SC Insecticide** will provide suppression of broad Mites, Clover Mites, European Red Mites, and Spider Mites when used for control of other listed insects. Use a surfactant on hard to wet plants. The use of an alternate class of chemistry in a mite treatment program is recommended to prevent or delay development of bifenthrin resistant mite populations.

Drench Application to Ornamental Trees and Woody Shrubs

ALPA-LC SC Insecticide can be used for systemic control of listed insects with an application to trees in landscapes adjacent to turf areas. **ALPA-LC SC Insecticide** contains clothianidin which is systemic and will be translocated throughout the tree. Treat the area over the root zone of the trees or apply the insecticide in the "root well" of the plant.

Apply the insecticide in enough water to get uniform coverage and water in after application. **ALPA-LC SC Insecticide** is a systemic product and will be translocated upward into the plant system from root uptake. It must be placed in an area where the roots can absorb the active ingredient. It may take 2 - 4 weeks for the active ingredient to move from the root zone to the areas of the trees affected. If insect pests are already present and causing damage, consider making a foliar application and then following up with a drench application.

For ornamental trees and shrubs adjacent to turf areas, use 0.06 - 0.12 fl. oz. of **ALPA-LC SC Insecticide** per inch of cumulative trunk diameter (DBH) of the plant(s). For hedges 6 feet or less in height use 0.6 fl. oz. of **ALPA-LC SC Insecticide** per 100 linear feet of hedge. For hedges greater than 6 feet in height use an additional 0.15 fl. oz. per 100 linear feet of hedge for each foot of hedge height over 6 feet. Before application remove any plastic or other barriers that may prevent the insecticide from reaching the root zone of the plants.

Restriction:

- **DO NOT** apply more than a total of 23.3 fl. oz. (0.4 lb. clothianidin a.i., 0.2 lb. bifenthrin a.i.) of **ALPA-LC SC Insecticide** per acre per calendar year.

Nut Trees and Ornamental Trees (including Non-Bearing Fruit Trees) In Landscapes that are NOT for Food Use

Apply **ALPA-LC SC Insecticide** when threshold populations are observed. **DO NOT** wait until large insect populations have been established. For foliar applications, apply **ALPA-LC SC Insecticide** in sufficient water to ensure uniform and thorough coverage of foliage. Thorough coverage is required for listed insect control. To achieve optimum coverage, use proper spray pressures, nozzles, nozzle spacing and water volume per acre. For soil applications, apply as a soil surface spray to the entire root zone or as a banded spray to the tree well area.

Restrictions:

- **DO NOT** consume fruit or nuts from these trees at any time.

- **DO NOT** apply more than a total of 23.3 fl. oz. (0.4 lb. clothianidin a.i., 0.2 lb. bifenthrin a.i.) of **ALPA-LC SC Insecticide** per acre per calendar year.
- When using the rates for trees larger than 6 feet, apply only to the target root area as a surface spray or as a band treatment, **DO NOT** apply more than 23.3 fl. oz. (0.4 lb. clothianidin a.i., 0.2 lb. bifenthrin a.i.) per acre on the treatment site or property.
- **DO NOT** apply foliar treatments less than 10 days apart.
- **DO NOT** apply **ALPA-LC SC Insecticide** through any type of irrigation system.
- For Foliar applications, apply **ALPA-LC SC Insecticide** in a full coverage spray to the point of drip. The spray volume will depend on tree size and density of canopy. Repeat applications as needed to maintain control but **DO NOT** apply more often than every 10 days.

APPLICATION RATES (POST-BLOOM APPLICATION)			
Pest		Application Rate	
Aphids	Spotted Tentiform	Soil Application (for trees under 6 feet tall): 0.35 - 0.54 fl. oz. per 1,000 sq. ft.	Foliar Application: 8 - 15.5 fl. oz. per 100 gals.*
Adelgids	Leafminer ²		
Leafhoppers	Western Tentiform		
Plum Curculio	Leafminer ²		
Apple Maggot	Obliquebanded	Soil Application (for trees over 6 feet tall): 0.54 - 1.25 fl. oz. per 1,000 sq. ft.	
Codling Moth ¹	Leafrollers		
Oriental Fruit Moth ¹	Whiteflies (Suppression) ²		

*The amount of **ALPA-LC SC Insecticide** per acre will depend on tree size, pest pressure and the volume of foliage present.

¹To control Codling moth and Oriental fruit moth, apply **ALPA-LC SC Insecticide** in a program of rotational sprays with other labeled insecticides. When using the foliar application rates of 8 - 15.5 fl. oz. per 100 gals. of **ALPA-LC SC Insecticide** to control Codling moth and/or Oriental fruit moth, **DO NOT** apply treatments less than a 14-day interval.

²For control of leafminers and leafrollers, apply as a soil application in early Spring when the soil is not frozen. A foliar application may result in suppression only and a repeat foliar application may be necessary to maintain control.

STORAGE AND DISPOSAL

DO NOT contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store in a cool, dry place away from excessive heat. Do not store near food, feed, fertilizers, seeds, or other pesticides. Keep this product out of reach of children and animals at all times. Store in original container only. Open the product container carefully and after use, seal tightly.

PESTICIDE DISPOSAL: Waste resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER HANDLING:

Plastic HDPE Containers Less Than or Equal to 5 Gallons. Nonrefillable container. **DO NOT** reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling if available or reconditioning if appropriate or puncture and dispose of in a sanitary landfill or by other procedures allowed by State and local authorities.

Plastic HDPE Containers Greater Than 5 Gallons. Nonrefillable container. **DO NOT** reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Dispose of empty container in a sanitary landfill or by other procedures allowed by State and local authorities. Offer for recycling, if available.

(continued)

STORAGE AND DISPOSAL *(continued)*

CONTAINER HANDLING: *(continued)*

Plastic HDPE Containers For Bulk and Mini-Bulk Containers. Refillable container. Refill this container with pesticide only. **DO NOT** use this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the person refilling. To clean container before final disposal, empty the remaining contents from this container into application equipment or mix tank. Fill the container about 10% full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration, or by other procedures allowed by State and local authorities.

CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product must be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather, presence of other materials or other influencing factors in the use of the product, which are beyond the control of Sharda USA LLC or Seller. To the extent consistent with applicable law, all such risks shall be assumed by Buyer and User, and Buyer and User agree to hold Sharda USA LLC and Seller harmless for any claims relating to such factors.

Sharda USA LLC warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. This warranty does not extend to the use of this product contrary to label instructions, or under conditions not reasonably foreseeable to or beyond the control of Seller or Sharda USA LLC and Buyer and User assume the risk of any such use. To the extent consistent with applicable law, SHARDA USA LLC MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

To the extent consistent with applicable law, neither Sharda USA LLC nor Seller shall be liable for any incidental, consequential or special damages resulting from the use or handling of this product. **TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF SHARDA USA LLC AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF SHARDA USA LLC OR SELLER, THE REPLACEMENT OF THE PRODUCT.**

Sharda USA LLC and Seller offer this product, and Buyer and User accept it, subject to the foregoing Conditions of Sale and Limitation of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of Sharda USA LLC.

All trademarks are the property of their respective owners.

NOTES

RESTRICTED USE PESTICIDE

TOXIC TO FISH AND AQUATIC ORGANISMS - For retail sale to and use only by Certified Applicators, or persons under their direct supervision and only for those uses covered by Certified Applicator's Certification.

ALPA-LC SC

Insecticide

CLOTHIANIDIN	GROUP	4A	INSECTICIDE
BIFENTHRIN <th>GROUP</th> <th>3A</th> <th>INSECTICIDE</th>	GROUP	3A	INSECTICIDE

For Contact and Systemic Insect Pest Control in Landscape Ornamentals, and Ornamental Trees (including Non-Bearing Fruit Trees), Lawns and Around Residential, Institutional, Public, Commercial and Industrial Buildings, Parks, Recreational Areas, and Athletic Fields.

ACTIVE INGREDIENTS:

Clothianidin (E)-1-(2-chloro-1,3-diazol-5-ylmethyl)-3-methyl-2-nitroquinoline	WT. BY %
Bifenthrin (2-methyl[1'-sphenyl]-3-ylmethyl 3-(2-chloro-3,3-difluoro-1-propenyl))-2,2-dimethyl-cycopropanecarboxylate	24.7%
	12.3%
	63.0%
	100.0%

OTHER INGREDIENTS:	12.3%
TOTAL:	63.0%
	100.0%

Contains 2.22 lbs. of Clothianidin and 1.10 lbs. of Bifenthrin per gallon.

KEEP OUT OF REACH OF CHILDREN WARNING/AVISO

S'usted no entienda la etiqueta, busque a alguien para que se la explique a usted en detalle.

(If you DO NOT understand this label, find someone to explain it to you in detail.)

See label booklet for complete First Aid, Precautionary Statements, Directions For Use, and Storage and Disposal.

EPA Reg. No. 83529-245 EPA Est. No. GH 70915-6A-002; MA 83411-MH-001; MC 88332-6A-001;

SC 39578-TX-001; TX 07401-TX-001

The EPA Establishment Number is identified by the circled letters above that match the first two letters in the batch number.

Manufactured For:



Sharda USA LLC
7217 Lancaster Pike, Suite A, Rockness, Delaware 19107

Net Contents: 64 fl. oz.

OPEN HERE

FIRST AID - IF SWALLOWED: • Call a poison control center or doctor immediately for treatment advice. • Have person sip glass of water if able to swallow. • **DO NOT** induce vomiting unless told to do so by a poison control center or doctor. • **DO NOT** give anything by mouth to an unconscious person. **IF INHALED:** • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. • Call a poison control center or doctor for further treatment advice. **IF ON SKIN OR CLOTHING:** • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15 - 20 minutes. • Call a poison control center or doctor for treatment advice. **IF IN EYES:** • Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.

HOTLINE NUMBER: - Have the product container or label with you when calling a poison control center or doctor or going for treatment. For emergency information concerning this product, call your poison control center at: **1-800-222-1222**.

NOTE TO PHYSICIAN: - This pesticide contains a pyrethroid. If significant quantities have been swallowed, promptly eliminate the ingested quantities from the stomach and intestines. Treatment is symptomatic and supportive. Alcohol, milk, cream and other digestible fats and oils should **NOT** be administered as they may increase absorption.

PRECAUTIONARY STATEMENTS - HAZARDS TO HUMANS AND DOMESTIC ANIMALS - WARNING: - May be fatal if swallowed. Harmful if inhaled. Harmful if absorbed through skin. Causes moderate eye irritation. Avoid breathing spray mist or vapor. Avoid contact with skin, eyes, or clothing.

ENVIRONMENTAL HAZARDS: - This product is extremely toxic to fish and aquatic invertebrates. To protect the environment, **DO NOT** allow pesticide to enter or run off into storm drains, drainage ditches, gutters, or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid runoff to water bodies or drainage systems. Drift and runoff may be hazardous to aquatic organisms in neighboring areas. **DO NOT** apply where runoff is likely

to occur. This product is toxic to bees exposed to treatment and for more than 5 days following treatment. **DO NOT** apply this product to blooming, pollen-shedding or nectar-producing parts of plants if bees may forage on the plants during this time period, unless the application is made in response to a public health emergency declared by appropriate State or Federal authorities. **DIRECTIONS FOR USE - RESTRICTED USE PESTICIDE:** - It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **READ ENTIRE LABEL, USE STRICTLY IN ACCORDANCE WITH PRECAUTIONARY STATEMENTS AND DIRECTIONS AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.** **DO NOT** apply this product in any way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

STORAGE AND DISPOSAL

DO NOT contaminate water, food or feed by storage or disposal. **PESTICIDE STORAGE:** Store in a cool, dry place away from excessive heat. Do not store near food, feed, fertilizers, seeds, or other pesticides. Keep this product out of reach of children and animals at all times. Store in original container only. Open the product container carefully and after use. Seal tightly. **PESTICIDE DISPOSAL:** Waste resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. **CONTAINER HANDLING:** **Plastic HOPE Containers Less Than or Equal to 5 Gallons.** Nonrefillable container. **DO NOT** reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinse into application equipment or a mix tank or store rinse for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling if available or reconditioning if appropriate or puncture and dispose of in a sanitary landfill or by other procedures allowed by State and local authorities.

See label booklet for additional
Precautionary Statements and Directions For Use.