

SAFETY DATA SHEET

Issue Date 30-Jul-2016 Revision Date 30-Jul-2016 Version 1

1. IDENTIFICATION

Product identifier

Product Name Axyl-Shield 2E Foliar

Other means of identification

Product Code83529-42SynonymsNoneRegistration Number(s)83529-42

Recommended use of the chemical and restrictions on use

Recommended Use Fungicide

Uses advised against No information available

Details of the supplier of the safety data sheet

Manufacturer Address Sharda USA LLC P.O. Box 640

Hockessin, DE 19707

Emergency Telephone

Website: www.shardausa.com

Emergency telephone number

Company Phone Number 610-350-6930 (US)

+91 22 5678 2800 (India) CHEMTREC: 800-424-9300

CHEMTREC: 703-527-3887

POISON CONTROL CENTER: 800-222-1222

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

| Acute toxicity - Oral | Category 4 |
|---|-------------|
| Acute toxicity - Inhalation (Dusts/Mists) | Category 4 |
| Serious eye damage/eye irritation | Category 1 |
| Skin sensitization | Category 1 |
| Carcinogenicity | Category 1B |
| Reproductive toxicity | Category 1B |
| Aspiration toxicity | Category 1 |
| Flammable liquids | Category 4 |

Label elements

Emergency Overview

Danger

Hazard statements

Harmful if swallowed Harmful in contact with skin Causes serious eye damage May cause an allergic skin reaction

May cause cancer
May damage fertility or the unborn child
May be fatal if swallowed and enters airways
Combustible liquid



Appearance Liquid Physical state liquid Odor Strong Aromatic

Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Avoid breathing dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Contaminated work clothing should not be allowed out of the workplace

Wear protective gloves

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

IF ON SKIN: Wash with plenty of soap and water

If skin irritation or rash occurs: Get medical advice/attention

Wash contaminated clothing before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Rinse mouth

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

Do NOT induce vomiting

In case of fire: Use CO2, dry chemical, or foam for extinction

Precautionary Statements - Storage

Store locked up

Store in a well-ventilated place. Keep cool

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

Other Information

May be harmful in contact with skin. Very toxic to aquatic life with long lasting effects. Very toxic to aquatic life.

Unknown acute toxicity

0% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable

Mixture

| Chemical Name | CAS No | Weight-% |
|------------------------------|-------------|----------|
| Other inert ingredients * | Proprietary | 30 - 60 |
| Metalaxyl | 57837-19-1 | 23.0 |
| Tetrahydrofurfuryl alcohol * | 97-99-4 | 10 - 30 |
| Naphthalene * | 91-20-3 | 3 - 7 |

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret. If CAS number is "proprietary", the specific chemical identity and percentage of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

General advice Call a poison control center or doctor for treatment advice. Have the product containers or

label with you when calling a poison control center or doctor, or going for treatment.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison control

center or doctor for treatment advice.

Skin contactWash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. Wash contaminated clothing before reuse. If skin irritation persists, call

a physician. Call a poison control center or doctor for treatment advice.

Inhalation Move victim to fresh air. If breathing is irregular or stopped, administer artificial respiration.

Call a physician or poison control center immediately. Call a poison control center or

doctor for treatment advice.

Ingestion Call a physician or poison control center immediately. Drink 1 or 2 glasses of water. Do not

induce vomiting without medical advice. Never give anything by mouth to an unconscious

person.

Self-protection of the first aider Ensure that medical personnel are aware of the material(s) involved and take precautions

to protect themselves.

Most important symptoms and effects, both acute and delayed

Symptoms May cause redness and tearing of the eyes. May result in permanent damage including

blindness. May cause skin irritation. Redness. May cause allergic skin reaction. Coughing

and/ or wheezing. Dizziness.

Indication of any immediate medical attention and special treatment needed

Note to physiciansContains petroleum distillate. Vomiting may cause aspiration pneumonia. Consideration

should be given to gastric lavage with an endotracheal tube in place. A slurry of activated charcoal in water may be left in stomach. Give a saline laxative followed by symptomatic and supportive care. Probable mucosal damage may contraindicate the use of gastric

lavage.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Dry chemical, CO2, water spray or regular foam. Move containers from fire area if you can do it without risk. Dike fire-control water for later disposal. Water spray, fog or regular foam.

Unsuitable extinguishing media Do not use a solid water stream as it may scatter and spread fire.

Specific hazards arising from the chemical

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Hazardous combustion products Carbon oxides. Hydrogen chloride.

Explosion data

Sensitivity to Mechanical Impact None.
Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Cool containers / tanks with water spray.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate personnel to safe areas. Ensure adequate ventilation, especially in confined

areas. Use personal protective equipment as required. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in

immediate area).

Environmental precautions

Environmental precautions Prevent entry into waterways, sewers, basements or confined areas.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Cover liquid spill with sand, earth or other non-combustible absorbent material. Sweep up

and shovel into suitable containers for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Do not eat, drink or smoke when using this product. Do not breathe

dust/fume/gas/mist/vapors/spray. Avoid contact with skin, eyes or clothing.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of

children. Keep away from food, drink and animal feeding stuffs. Keep in properly labeled

containers.

Packaging materials Do not reuse container.

Incompatible materials Strong oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|-------------------------|---|--|----------------------------|
| Other inert ingredients | TWA - 200 mg/m ³ (non-aerosol as | TWA - 400 mg/m ³ (hydrocarbons, | - |
| | total hydrocarbon) | unspecified) | |
| Naphthalene | TWA: 10 ppm | TWA: 10 ppm | IDLH: 250 ppm |
| 91-20-3 | S* | TWA: 50 mg/m ³ | TWA: 10 ppm |
| | | _ | TWA: 50 mg/m ³ |
| | | | STEL: 15 ppm |
| | | | STEL: 75 mg/m ³ |

Legend

Skin - Skin Absorber

NIOSH IDLH Immediately Dangerous to Life or Health

Appropriate engineering controls

Engineering Controls Ensure adequate ventilation, especially in confined areas. And. Showers. Eyewash

stations. Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin and body protection Wear suitable protective clothing. Wear protective butyl rubber gloves. Protective shoes or

boots.

Respiratory protection Ensure adequate ventilation, especially in confined areas. If exposure limits are exceeded

or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local

regulations.

General Hygiene Considerations When using do not eat, drink or smoke. Regular cleaning of equipment, work area and

clothing is recommended. Avoid contact with skin, eyes or clothing. Wash hands thoroughly after handling. Keep away from food, drink and animal feeding stuffs. Wash contaminated

Seta Closed Cup

clothing before reuse.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state liquid
Appearance Liquid C

AppearanceLiquidOdorStrong AromaticColoramberOdor thresholdNo information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH 6.0 solution (1 %)

Melting point / freezing point No information available

Boiling point / boiling range
No information available
83 °C / 181 °F

Evaporation rate

No information available

Flammability (solid, gas) No information available Flammability Limit in Air

Upper flammability limit: No information available

Lower flammability limit: No information available

Vapor pressure ~0.5 mmHg @ 25 °C Vapor density No information available

Relative density 1.027 Water solubility Emulsifies

Solubility in other solvents
Partition coefficient
Autoignition temperature
No information available
No information available

@ 40 °C

Decomposition temperatureNo information available

Kinematic viscosity ~ 8 mm2/s

Dynamic viscosityNo information availableExplosive propertiesNot an explosiveOxidizing propertiesNot applicable

Other Information

Softening pointNo information availableMolecular weightNo information availableVOC Content (%)No information availableDensityNo information available

Bulk density 8.57 lbs/gal

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Elevated Temperature. Storage near to reactive materials.

Incompatible materials

Strong oxidizing agents.

Hazardous Decomposition Products

Thermal decomposition can lead to release of irritating and toxic gases and vapors. Carbon oxides. Hydrogen chloride.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information Component data is noted below:

Inhalation Harmful by inhalation. May cause drowsiness or dizziness.

Eye contact Corrosive to the eyes and may cause severe damage including blindness.

Skin contact May cause sensitization by skin contact.

Ingestion Potential for aspiration if swallowed. Harmful if swallowed.

| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|---------------------------------------|--|-----------------------|-----------------------------------|
| Other inert ingredients | > 5000 mg/kg (Rat) | > 2 mL/kg (Rabbit) | > 590 mg/m ³ (Rat) 4 h |
| Metalaxyl 57837-19-1 | = 669 mg/kg (Rat)= 566 mg/kg (Rat) | > 3100 mg/kg (Rat) | - |
| Tetrahydrofurfuryl alcohol 97-99-4 | = 1600 mg/kg (Rat) | - | - |
| Naphthalene 91-20-3 | = 1110 mg/kg (Rat) | = 1120 mg/kg (Rabbit) | > 340 mg/m³ (Rat) 1 h |

Information on toxicological effects

Symptoms May result in permanent damage including blindness. May cause an allergic skin reaction.

Redness. Vapors may cause drowsiness and dizziness.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

SensitizationBased on available data, the classification criteria are not met. **Germ cell mutagenicity**Based on available data, the classification criteria are not met.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Chemical Name | ACGIH | IARC | NTP | OSHA |
|---------------|-------|----------|------------------------|------|
| Naphthalene | A3 | Group 2B | Reasonably Anticipated | X |
| 91-20-3 | | | | |

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

NTP (National Toxicology Program)

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicityContains a known or suspected reproductive toxin.

STOT - single exposureBased on available data, the classification criteria are not met. **STOT - repeated exposure**Based on available data, the classification criteria are not met.

Chronic toxicity May cause adverse liver effects. May cause adverse effects on the bone marrow and

blood-forming system.

Subchronic toxicity Subchronic Effects.

Target Organ Effects Central nervous system, liver, blood, Eyes, kidney, Skin.

Aspiration hazard May be fatal if swallowed and enters airways.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document .

 ATEmix (oral)
 1,362.00 mg/kg

 ATEmix (dermal)
 2,449.00 mg/kg

 ATEmix (inhalation-dust/mist)
 1.42 mg/l

12. ECOLOGICAL INFORMATION

Ecotoxicity

Very toxic to aquatic life with long lasting effects

15 % of the mixture consists of components(s) of unknown hazards to the aquatic environment

| Chemical Name | Algae/aquatic plants | Fish | Crustacea |
|----------------------------|--------------------------------|--------------------------------------|----------------------------------|
| Other inert ingredients | 2.5: 72 h Skeletonema costatum | 19: 96 h Pimephales promelas mg/L | 0.95: 48 h Daphnia magna mg/L |
| | mg/L EC50 | LC50 static 1740: 96 h Lepomis | EC50 |
| | | macrochirus mg/L LC50 static 45: | |
| | | 96 h Pimephales promelas mg/L | |
| | | LC50 flow-through 2.34: 96 h | |
| | | Oncorhynchus mykiss mg/L LC50 | |
| | | 41: 96 h Pimephales promelas mg/L | |
| | | LC50 | |
| Metalaxyl | - | 13.6 - 30.8: 96 h Oncorhynchus | - |
| 57837-19-1 | | mykiss mg/L LC50 static 23 - 30: 96 | |
| | | h Lepomis macrochirus mg/L LC50 | |
| | | static 100: 96 h Poecilia reticulata | |
| | | mg/L LC50 100: 96 h Cyprinus | |
| | | carpio mg/L LC50 | |
| Tetrahydrofurfuryl alcohol | - | 3400: 48 h Chaetodonoides mg/L | - |
| 97-99-4 | | LC50 | |
| Naphthalene | 0.4: 72 h Skeletonema costatum | 1.6: 96 h Oncorhynchus mykiss | 1.09 - 3.4: 48 h Daphnia magna |
| 91-20-3 | mg/L EC50 | mg/L LC50 flow-through 1.99: 96 h | mg/L EC50 Static 1.96: 48 h |
| | | Pimephales promelas mg/L LC50 | Daphnia magna mg/L EC50 Flow |
| | | static 0.91 - 2.82: 96 h | through 2.16: 48 h Daphnia magna |
| | | Oncorhynchus mykiss mg/L LC50 | mg/L LC50 |
| | | static 5.74 - 6.44: 96 h Pimephales | |
| | | promelas mg/L LC50 flow-through | |
| | | 31.0265: 96 h Lepomis macrochirus | |

| | mg/L LC50 static | |
|--|------------------|--|

Persistence and degradability

Not readily biodegradable.

Bioaccumulation

Bioaccumulative potential.

| Chemical Name | Partition coefficient |
|-------------------------|-----------------------|
| Other inert ingredients | 6.1 |
| Naphthalene 91-20-3 | 3.3 |

Other adverse effects

This mixture contains no substance considered to be persistent, bioaccumulating nor toxic (PBT)

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes Pesticide wastes may be acutely hazardous. Improper disposal is a violation of federal

law. Disposal should be in accordance with applicable regional, national and local laws and regulations. Contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance on

proper disposal of waste product.

Contaminated packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations. Consult product label for additional information. Do not reuse container.

US EPA Waste Number U165

| Chemical Name | RCRA | RCRA - Basis for Listing | RCRA - D Series Wastes | RCRA - U Series Wastes |
|---------------|------|----------------------------|------------------------|------------------------|
| Naphthalene | U165 | Included in waste streams: | - | U165 |
| 91-20-3 | | F024, F025, F034, F039, | | |
| | | K001, K035, K060, K087, | | |
| | | K145 | | |

| Chemical Name | RCRA - Halogenated | RCRA - P Series Wastes | RCRA - F Series Wastes | RCRA - K Series Wastes |
|---------------|--------------------|------------------------|-------------------------------|------------------------|
| | Organic Compounds | | | |
| Naphthalene | - | - | Toxic waste | - |
| 91-20-3 | | | waste number F025 | |
| | | | Waste description: | |
| | | | Condensed light ends, spent | |
| | | | filters and filter aids, and | |
| | | | spent desiccant wastes from | |
| | | | the production of certain | |
| | | | chlorinated aliphatic | |
| | | | hydrocarbons, by free radical | |
| | | | catalyzed processes. | |
| | | | These chlorinated aliphatic | |
| | | | hydrocarbons are those | |
| | | | having carbon chain lengths | |
| | | | ranging from one to and | |
| | | | including five, with varying | |
| | | | amounts and positions of | |
| | | | chlorine substitution. | |

| Chemical Name | California Hazardous Waste Status |
|---------------|-----------------------------------|
| Naphthalene | Toxic |
| 91-20-3 | |

| 14 | TRAN | ISPORT | INFOR | MATIO | N |
|----|--------|---------------|-------|-------|---|
| | 111771 | | | | л |

DOT Not regulated

TDG Not regulated

IATA

UN/ID no UN3082

Proper shipping name Environmentally hazardous substance, liquid, n.o.s.

Hazard Class 9
Packing Group III
ERG Code 9L

Special Provisions A97, A158, A197

Description UN3082, Environmentally hazardous substance, liquid, n.o.s. (Metalaxyl), 9, III

IMDG

UN/ID no UN3082

Proper shipping name Environmentally hazardous substance, liquid, n.o.s.

Hazard Class9Packing GroupIIIEmS-NoF-A, S-FSpecial Provisions274, 335

Description UN3082, Environmentally hazardous substance, liquid, n.o.s. (Metalaxyl), 9, III, Marine

pollutant

15. REGULATORY INFORMATION

International Inventories

TSCA Complies
DSL/NDSL Complies
EINECS/ELINCS Complies
IECSC Complies
KECL Complies
PICCS Complies
AICS Complies

Leaend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances **IECSC** - China Inventory of Existing Chemical Substances **KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

| Chemical Name | SARA 313 - Threshold Values % | | |
|-----------------------------------|-------------------------------|--|--|
| Naphthalene - 91-20-3 | 0.1 | | |
| SARA 311/312 Hazard Categories | | | |
| Acute health hazard | Yes | | |
| Chronic Health Hazard | Yes | | |
| Fire hazard | Yes | | |
| Sudden release of pressure hazard | No | | |

No

CWA (Clean Water Act)

Reactive Hazard

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21

and 40 CFR 122.42)

| Chemical Name | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous Substances |
|------------------------|--------------------------------|------------------------|---------------------------|-------------------------------|
| Naphthalene 91-20-3 | 100 lb | X | Х | X |

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

| Chemical Name | Hazardous Substances RQs | CERCLA/SARA RQ | Reportable Quantity (RQ) |
|---------------|--------------------------|----------------|-----------------------------------|
| Naphthalene | 100 lb 1 lb | - | RQ 100 lb final RQ |
| 91-20-3 | | | RQ 45.4 kg final RQ RQ 1 lb final |
| | | | RQ |
| | | | RQ 0.454 kg final RQ |

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

| Chemical Name | California Proposition 65 |
|-----------------------|---------------------------|
| Naphthalene - 91-20-3 | Carcinogen |

U.S. State Right-to-Know Regulations

| Chemical Name | New Jersey | Massachusetts | Pennsylvania |
|---------------------------------------|------------|---------------|--------------|
| Tetrahydrofurfuryl alcohol 97-99-4 | - | X | X |
| Naphthalene | X | X | X |
| 91-20-3 | | | |

U.S. EPA Label Information

EPA Pesticide Registration Number 83529-42

EPA Statement

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

Difference between SDS and EPA Pesticide label

DANGER: Corrosive. Causes irreversible eye damage. Harmful if swallowed or absorbed through skin. Avoid contact with skin. Do not get in eyes or on clothing. Wear goggles, face shield, or safety glasses. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA Health hazards 3 Flammability 1 Instability 0 Physical and Chemical

Properties -

<u>HMIS</u> Health hazards 3* Flammability 1 Physical hazards 0 Personal protection X

Chronic Hazard Star Legend *= Chronic Health Hazard

Issue Date30-Jul-2016Revision Date30-Jul-2016

Revision Note

No information available

Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

05Aug2016