QUINCLORAC	GROUP	4	HERBICIDE
CARFENTRAZONE-ETHYL	GROUP	14	HERBICIDE

Autopista

HERBICIDE

For Use Only by Certified and/or Licensed Pesticide Applicators.

ACTIVE INGREDIENTS	WT. BY %
Carfentrazone-ethyl	3.9%
Quinclorac	66.1%
OTHER INGREDIENTS:	30.0%
TOTAL:	100.0%

KEEP OUT OF REACH OF CHILDREN / MANTÉNGASE FUERA DEL ALCANCE DE LOS NIÑOS

CAUTION / PRECAUCIÓN

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.
(If you do not understand this label, find someone to explain it to you in detail.)

See label booklet for complete First Aid, Precautionary Statements, Directions For Use, and Storage and Disposal.

Manufactured For:
Sharda USA LLC
7217 Lancaster Pike, Suite A
Hockessin, Delaware 19707

EPA Reg. No. 83529-374
EPA Est. No. AG 72159-GA-001; MC 89332-GA-001; SC 39578-TX-001
The EPA Establishment Number is identified by the circled letters above that match the first two letters in the batch number.

Net Contents: **5 lbs.**

FIRST AID	
IF SWALLOWED:	• Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • **DO NOT** induce vomiting unless told to do so by a poison control center or doctor. • **DO NOT** give anything by mouth to an unconscious person.
IF ON SKIN OR CLOTHING:	• Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15 - 20 minutes. • Call a poison control center or doctor for treatment advice.
IF INHALED:	• Move person to fresh air. • If person is not breathing, call 911 or an ambulance, and then give artificial respiration, preferably mouth-to-mouth if possible. • Call a poison control center or doctor for treatment advice.
IF IN EYES:	• Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
HOTLINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor or going for treatment. For emergency information concerning this product, call your poison control center at **1-800-222-1222**. For non-emergency information on this product, contact the National Pesticides Information Center (NPIC) at 1-800-858-7378. Monday through Friday, 8 AM to 12 PM PST, or at http://npic.orst.edu.	

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. Harmful if absorbed through skin. Harmful if inhaled. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Avoid breathing spray mist or vapor. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators and other handlers must wear:

- Long-sleeved shirt and long pants,
- Chemical-resistant gloves made of barrier laminate, butyl rubber ≥ 14 mils, nitrile rubber ≥ 14 mils, or Viton ≥ 14 mils,
- Shoes plus socks.
- Protective eyewear

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product. **DO NOT** reuse them. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

ENGINEERING CONTROLS

When handlers use closed systems, enclosed cabs, or aircraft or aircraft in a manner that meets the requirements listed in the Worker Protection Standards (WPS) for agricultural pesticides (40 CFR 170.240)(d)(4-6), the handler PPE requirements may be reduced or modified as specified in the WPS.

USER SAFETY RECOMMENDATIONS

Users should:

- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Wash and remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

It is a Federal offense to use any pesticide in a manner that results in the death of an endangered species. See the **Endangered Species** section in the Directions for Use section of this labeling.

This pesticide is very toxic to algae and moderately toxic to fish. **DO NOT** apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Drift and runoff may be hazardous to terrestrial and aquatic plants in neighboring areas. **DO NOT** contaminate water when disposing of equipment washwaters or rinsate.

Fish Advisory Statement: This product may be hazardous to aquatic organisms, particularly in clear, shallow water bodies that are adjacent to treated areas. Transport to water by runoff or spray drift of this product in areas where surface water is present, or intertidal areas below the mean high water mark, should be avoided. **DO NOT** contaminate water when disposing of equipment wash water or rinsate.

Non-Target Organism Advisory Statement: This product is toxic to plants and may adversely impact the forage and habitat of non-target organisms, including pollinators, in areas adjacent to the treated site. Protect the forage and habitat of non-target organisms by minimizing spray drift.

This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination.

Autopista 5LB Book US 83529-374 14626CR2.indd 2 11/11/26 11:42 AM

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with this labeling.

For any requirements specific to your state or tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

DO NOT enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:

- Coveralls over long-sleeved shirt and long pants
- Chemical-resistant gloves made of any waterproof material
- Shoes plus socks.

PRODUCT INFORMATION

Autopista is for selective control of susceptible grasses and broadleaf weeds in dry seeded and water-seeded rice production. **Autopista** is to be mixed with adjuvants and other herbicides applied to rice.

Weed control is optimized when the product is applied to actively growing weeds up to 4 inches in height under favorable environmental conditions. Extremes in environmental conditions such as temperature, humidity; and soil conditions such as soil type and moisture; and cultural practices may affect the activity of **Autopista.** When **Autopista** is applied to the soil, soil moisture is essential, as well as for residual activity for foliar applications. **DO NOT** let fields to become dry. If fields do become dry, flush irrigate fields to reactivate **Autopista** before weeds are 1 inch tall.

Crop Tolerance

Rice is tolerant to **Autopista** when it is used according to use directions in typical growing conditions. Post emergent applications should not be made within 6 to 8 hours of either rain or when heavy dew is present on the crop. If a heavy rain occurs after applying **Autopista** drain the excess water from the rice field to avoid possible rice injury. Some herbicidal symptoms may appear when using certain spray tank additives or under certain environmental conditions, however, rice usually recovers without significant stand or yield losses.

WEED RESISTANCE MANAGEMENT

For resistance management, **Autopista** herbicide contains both a Group 4/Quinclorac and Group 14/Carfentrazone herbicide. Quinclorac is classified as a Group 4 herbicide, which refers to the "synthetic auxin" chemical class of herbicides, meaning it disrupts plant growth by mimicking natural plant hormones like auxin. Carfentrazone is classified as a Group 14 herbicide, meaning it inhibits the protoporphyrinogen oxidase (PPO) enzyme in plants, which is the primary mode of action for this chemical class.

Herbicide resistance is defined as the inherited ability of a plant to survive and reproduce following exposure to a dose of herbicide normally lethal to the wild type. In a plant, resistance may be naturally occurring or induced by such techniques as genetic engineering or selection of variants produced by tissue culture or mutagenesis. Any weed population may contain or develop plants that are naturally resistant to **Autopista** and other Group 4 or 14 herbicides. Weed species with acquired resistance to Group 4 or 14 herbicides may eventually dominate the weed population if Group 4 or 14 herbicides are used repeatedly in the same field or in successive years as the primary method of control for targeted species. This may result in partial or total loss of control of those species by **Autopista** or other Group 4 or 14 herbicides. Appropriate resistance-management strategies should be followed.

To delay herbicide resistance take one or more of the following steps:

- Rotate the use of **Autopista** or other Group 14 and/or Group 4 herbicides within a growing season sequence or among growing seasons with different herbicide groups that control the same weeds in a field.
- Use tank mixtures with herbicides from a different group if such use is permitted; where information on resistance in target weed species is available, use the less resistance-prone partner at a rate that will control the target weed(s) equally as well as the more resistance-prone partner.
- Consult your local extension service or certified crop advisor if you are unsure as to which active ingredient is currently less prone to resistance.
- Adopt an integrated weed-management program for herbicide use that includes scouting and uses historical information related to herbicide use and crop rotation, and that considers tillage (or other mechanical control methods), cultural (e.g., higher crop seeding rates; precision fertilizer application method and timing to favor the crop and not the weeds), biological (weed competitive crops or varieties) and other management practices.
- Scout after herbicide application to monitor weed populations for early signs of resistance development. Indicators of possible herbicide resistance include: (1) failure to control a weed species normally controlled by the herbicide at the dose applied, especially if control is achieved on adjacent weeds; (2) a spreading patch of non-controlled plants of a particular weed species; (3) surviving plants mixed with controlled individuals of the same species. If resistance is suspected, prevent weed seed production in the affected area by an alternative herbicide from a different group or by a mechanical method such as hoeing or tillage. Prevent movement of resistant weed seeds to other fields by cleaning harvesting and tillage equipment when moving between fields, and planting clean seed.
- If a weed pest population continues to progress after treatment with this product, discontinue use of this product, and switch to another management strategy or herbicide with a different mode of action, if available.
- Contact your local extension specialist or certified crop advisors for additional pesticide resistance-management and/or integrated weed-management recommendations for specific crops and weed biotypes.
- For further information or to report suspected resistance, contact Sharda USA LLC at https://shardausa.com/ or their representative.

Autopista 5LB Book US 83529-374 14626CR2.indd 3 11/11/26 11:42 AM

SPRAY DRIFT MANAGEMENT

SPRAY DRIFT

Aerial Applications

- For aerial applications, the distance of the outer most nozzles on the boom must not exceed 75% of the length of the wingspan or 90% of rotor diameter. To further reduce drift, use on half of the length of the wingspan or rotor diameter at the edge of the field.
- Applicators must only spray when wind speed is 10 miles per hour or less.
- Applicators must not spray during temperature inversions.
- For aerial applications, the release height must be no higher than 10 feet from the top of the crop canopy, unless a greater application height is required for pilot safety.
- For aerial applications, select nozzle and pressure that produce medium to coarse spray droplets as indicated in nozzle manufacturer's catalogues and in accordance with ASABE Standard 572.1.

Ground Boom Applications:

- For ground boom applications, apply with the nozzle height no more than 30 inches above the ground. For all other ground applications, the nozzle must be no more than 4 feet from the target vegetation.
- For ground applications, select nozzle and pressure that produce medium to coarse spray droplets as indicated in nozzle manufacturer's catalogues and in accordance with ASABE Standard 572.1.

AVOIDING SPRAY DRIFT AT THE APPLICATION SITE IS THE RESPONSIBILITY OF THE APPLICATOR AND THE GROWER.

Carfentrazone-ethyl is a contact herbicide. Avoid any drift conditions that would allow the product to contact desirable vegetation. Carfentrazone-ethyl is not volatile; however, mist from spray drift may cause injury to sensitive plants.

The interaction of equipment and weather related factors determine the potential for spray drift. The applicator and the grower are responsible for considering all these factors when making decisions.

Where states have more stringent regulations, they must be observed.

Information on Droplet Size

The most effective way to reduce drift potential is to apply large droplets. The optimum drift management strategy is to apply the largest droplets that provide sufficient coverage and control. Applying larger droplets reduces drift potential, but will not prevent drift when applications are made improperly, or under unfavorable environmental conditions (See **Wind**, **Temperature and Humidity**, and **Temperature Inversions**).

All aerial and ground application equipment must be properly maintained and calibrated using appropriate carriers.

For all non-aerial applications, wind speed must be measured adjacent to the application site, on the upwind side, immediately prior to application.

For aerial applications, select nozzle and pressure that produce medium to coarse spray droplets as indicated in nozzle manufacturer's catalogues and in accordance with ASABE Standard 572.1.

For ground applications, select nozzle and pressure that produce medium to coarse spray droplets as indicated in nozzle manufacturer's catalogues and in accordance with ASABE Standard 572.1.

Controlling Spray Droplet Size

Volume - Use high flow rate nozzles to apply the greatest practical spray volume. Nozzles with higher rated flow generally produce larger droplets.

Pressure - DO NOT use pressures greater than that specified by the nozzle manufacturer. For many nozzle types, lower pressure produces larger droplets. When higher flow rates are needed, use higher flow rate nozzles instead of increasing pressure.

Number of Nozzles - Use the minimum number of nozzles that provide uniform coverage.

Nozzle Orientation - For aerial application, orient nozzles so that the spray is released parallel to the airstream. A parallel orientation results in larger droplets than other orientations and reduces air turbulence and the production of small droplets. Significant deflection from horizontal will reduce droplet size and increase drift potential.

Nozzle Type - Use a nozzle type that is designed for the intended application. With most nozzle types, narrower spray angles produce larger droplets. Consider using low drift nozzles. For aerial applications, solid stream nozzles oriented straight back produce the largest droplets and potentially the least drift.

Boom Length - For aerial applications, the distance of the outer most nozzles on the boom must not exceed 75% of the length of the wingspan or 90% of rotor diameter. To further reduce drift, use on half of the length of the wingspan or rotor diameter at the edge of the field.

Application Height - Making applications at the lowest height that is safe reduces exposure of spray droplets to evaporation and wind movement. For aerial applications, the release height must be no higher than 10 feet from the top of the crop canopy, unless a greater application height is required for pilot safety. For ground boom applications. **DO NOT** release spray at a height greater than 30 inches above the ground.

Swath Adjustment - Swath adjustment distance must increase, with increasing drift potential (higher wind, smaller drops, etc.).

Drift Reduction Technology (DRT) - The EPA Drift Reduction Technology (DRT) Program was developed to encourage the manufacture, marketing, and use of spray technologies scientifically verified to significantly reduce pesticide drift. The use of DRTs should result in significantly less pesticide from spray applications drifting and being deposited in areas not targeted by those applications, compared to spray technologies that **DO NOT** meet the minimum DRT standard. EPA-verified drift reduction technologies (DRTs) and their ratings will be added to the following webpage as they become available:
https://www.epa.gov/reducing-pesticide-drift/epa-verified-and-rated-driftreduction-technologies

Wind - Drift potential is lowest between wind speeds of 3 - 10 mph. However, many factors, including droplet size and equipment type determine drift potential at any given wind speed. Application should be avoided below 3 mph due to variable wind direction and high inversion potential. **DO NOT** apply when wind speed exceeds 10 mph at the application site. NOTE: Local terrain can influence wind patterns. Every applicator should be familiar with local wind patterns and how they may potentially affect spray drift.

Temperature and Humidity - When making applications in low relative humidity, set up equipment to produce larger droplets to compensate for evaporation. Droplet evaporation is most severe when conditions are both hot and dry.

Autopista 5LB Book US 83529-374 14626CR2.indd 4 11/11/26 11:42 AM

Temperature Inversions - **DO NOT** apply during a temperature inversion because the drift potential is high. Temperature inversions restrict vertical air mixing, which causes small suspended droplets to remain in a concentrated cloud. This cloud can move in unpredictable directions due to the light variable winds common during inversions. Temperature inversions are characterized by increasing temperatures with altitude and are common on nights with limited cloud cover and light to no wind. They begin to form as the sun sets and often continue into the following morning. Their presence can be indicated by ground fog. However, if fog is not present, inversions can also be identified by the movement of smoke from a ground source or an aircraft smoke generator. Smoke that layers and moves laterally in a concentrated cloud (under low wind conditions) indicates an inversion, while smoke that moves upward and rapidly dissipates indicates good vertical air mixing.

Shielded Sprayers - Shielding the boom or individual nozzles can reduce the effects of wind. However, it is the responsibility of the applicator to verify that the shields are preventing drift and not interfering with uniform deposition of the product.

Sensitive Areas - This product must only be applied when the wind is blowing away from adjacent sensitive areas (e.g. residential areas, bodies of water, known habitats for threatened or endangered species and non-target crops).

Off-Target Movement of Autopista

Drift of dilute spray mixtures containing **Autopista** must be prevented. Observation of the preceding environmental conditions, correct application equipment design, calibration and application practices will significantly diminish the risk of off-target spray drift. **Autopista** can cause significant symptomology by drift on to sensitive crops and other plants. This symptomology may manifest initially as discreet, localized spots where contacted by **Autopista** drift mixtures. Depending on concentration of the spray solution and droplets size (effectively determining the dosage of **Autopista**) and also depending on the inherent sensitivity of the plants involved, these spots or lesions may or may not coalesce. These effects will usually not have lasting effects on plant growth, but will likely reduce the value of affected fruit or foliage where grade or quality is associated with appearance. In severe drift instances with particularly sensitive crops, defoliation of affected foliage could result. Failure to follow these guidelines and environmental prohibitions that then result in off-target movement or drift of **Autopista** on to unintended crops or plants, irrespective of severity, constitutes misapplication of this product. To the extent consistent with applicable law, Sharda USA LLC accepts no responsibility or liability for potential crop effects that may result from such misapplication of **Autopista**.

Endangered Species

If endangered plant species occur in the proximity of the application site, the following mitigation measure is required to avoid adverse effects:

Leave untreated buffer zones 200 feet for aerial applications.

For ground applications, listed in the chart below, are the buffer zones required where indigenous endangered plant species are found.

BUFFERS TO INDIGENOUS ENDANGERED PLANT SPECIES		
USE RATE (LB. A.I./A)	**LOW SPRAY BOOM BUFFER (FT.)**	**HIGH SPRAY BOOM BUFFER (FT.)**
0.43	20	33
0.56	26	46

To determine whether your county has an endangered terrestrial plant species, consult http://www.epa.gov/espp/usa-map.htm. Endangered Species Bulletins may also be obtained from extension offices or state pesticide agencies. If the bulletin is not available for your specific area, check with the appropriate local state agency to determine if known populations of terrestrial endangered plants occur in the area to be treated.

It is a Federal offense to use any pesticide in a manner that results in the death of an endangered species. Use of this product may pose a hazard to endangered or threatened species. When using this product, you must follow the measures contained in the Endangered Species Protection Bulletin for the county in which you are applying the product. To obtain Bulletins, no more than six months before using this product, consult http://www.epa.gov/espp/ or call 1-800-447-3813. You must use the Bulletin valid for the month in which you will apply the product.

TANK MIXTURES

It is the pesticide user's responsibility to ensure that all products are registered for the intended use. Read and follow the applicable restrictions and limitations and directions for use on all product labels involved in tank mixing. Users must follow the most restrictive directions for use and precautionary statements of each product in the tank mixture.

Autopista may be tank-mixed with other herbicides to control weeds not listed on this label or enhance residual and control of labeled weeds. Read and follow all manufacturers' label recommendations for the companion herbicide except for specific recommendations on this label.

Tank Mix Compatibility Testing

When tank mixing other materials, a compatibility test (jar test) using relative proportions of the tank mix ingredients should be conducted prior to mixing ingredients in the spray tank. Use a clear glass quart jar with lid and mix the tank mix ingredients in their relative proportions. Invert the jar containing the mixture several times and observe the mixture for approximately one-half (1/2) hour. If the mixture form precipitates or changes viscosity, it is not compatible and the tank mix combination should not be used.

MIXING AND LOADING INSTRUCTIONS

Fill the tank one-third (1/3) full with water. Start the agitation. Different formulation types should be added in the following order: dry flowables (DF), wettable powders (WP), aqueous suspensions (AS), flowables (F), liquids (L), emulsifiable concentrates (EC), and spray adjuvants. Allow each product type to completely disperse before adding another. Continue agitation and fill tank to three-fourths (3/4) full, add the correct quantity of **Autopista** and mix thoroughly. Finally, add any solution (S) formulations or spray adjuvant, agitate and finish filling. Maintain agitation during filling and during application. If spraying and agitation must be stopped before the tank is empty, suspended materials may settle to the bottom. It is important to resuspend all of the settled material before continuing application. Carefully follow all mixing instructions for each material added to the tank. Initial dispersion of dry or flowable formulations can be improved by mixing with a small amount of water (slurrying) and pouring the slurry through a 20 to 35 mesh wetting screen in the top of the spray tank. Line screens in the tank should be no finer than 50 mesh (100 mesh is finer than 50 mesh).

Autopista 5LB Book US 83529-374 14626CR2.indd 5 11/11/26 11:42 AM

Make sure **Autopista** is thoroughly mixed before application or before adding another product to the spray tank.

Use the **Autopista** spray mixture immediately after mixing. **DO NOT** store the sprayer overnight or for any extended period of time with the **Autopista** spray mixture remaining in the tank.

DO NOT premix **Autopista** spray solutions in nurse tanks.

If **Autopista** is tank mixed with other herbicides, all additional directions, restrictions for the tank mixture herbicides must be followed.

Adjuvants Use Requirements

Use adjuvant for post-emergent applications only. Mix a quality nonionic surfactant (NIS) at 0.25% v/v (2 pints per 100 gallons of spray solution) having at least 80% active ingredient. For more active treatments, use a Crop Oil Concentrate (COC) at 0.5 to 1.0% v/v (one half to one gallon per 100 gallons). Refer to the **Mixing and Loading Instructions** section of this label and the adjuvant label for tank mixing adjuvants with **Autopista**.

Varieties or Cultivar Testing

Not all varieties or cultivars of labeled crops have been fully evaluated under all environmental and soil conditions. Consult University or local Extension specialists for additional and specific information. It may also be beneficial to conduct small on-farm trials under actual conditions with specific varieties or cultivars before treating large acreage.

Spray Equipment Clean-Out

Many new pesticides are very active at low rates, especially to sensitive crops. Residues left in mixing equipment, spray tanks, hoses, spray booms and nozzles can cause crop effects if they are not properly cleaned. As soon as possible after spraying **Autopista** and before using the sprayer equipment for any other applications, the sprayer equipment must be thoroughly cleaned using the following procedure. In addition, applicator must take appropriate steps to ensure proper equipment clean-out for any other products mixed with **Autopista** as required on the other product labels. More complete cleaning can be achieved if the spray system is cleaned immediately following the application.

1. Drain sprayer tank, hoses, spray boom and spray nozzles. Use a high-pressure detergent wash to remove physical sediment and residues from the inside of the sprayer tank and thoroughly rinse. Then, thoroughly flush sprayer hoses, spray boom and spray nozzles with a clean water rinse. Remove and clean spray tips and all filters and screens (tank, spray hose and spray tips) separately in the ammonia solution of Step 2.
2. Next, prepare a sprayer cleaning solution by adding three gallons of ammonia (containing at least 3% active) per 100 gallons of clean water. Prepare sufficient cleaning solution to allow the operation of the spray system for a minimum of 15 minutes to thoroughly flush hoses, spray boom and spray nozzles.
3. Convenient and thorough cleaning of the sprayer can be achieved if the ammonia solution or fresh water is left in the spray tank, hoses, spray booms and spray nozzles overnight or during storage.
4. Before using the sprayer, completely drain the sprayer system. Rinse the tank with clean water and flush through the hoses, spray boom, and spray nozzles with clean water. Remove and clean spray tips and all filters and screens (tank, spray hose and spray tip) separately in an ammonia solution.
5. Properly dispose of all cleaning solution and rinsate in accordance with Federal, State, and local regulations and guidelines.

DO NOT apply sprayer cleaning solutions or rinsate to sensitive crops.

DO NOT store the sprayer overnight or for any extended period of time with **Autopista** spray solution remaining in the tank, spray lines, spray boom plumbing, spray nozzles or strainers.

If the sprayer has been stored or idle, purge the spray boom and nozzles with clean water before beginning any application.

Should small quantities of **Autopista** remain in inadequately cleaned mixing, loading and/or spray equipment, they may be released during subsequent applications potentially causing effects to certain crops and other vegetation. Sharda USA LLC accepts no liability for any effects due to inadequately cleaned equipment.

APPLICATION RATES AND TIMING

The following directions for the selection of **Autopista** application rates are critical to achieve maximum performance and to ensure maximum crops safety. The user is required to read and follow the specific **Autopista** use directions and restrictions as defined in this label. This response is governed by the **Autopista** application rate and the inherent crop sensitivity. The use directions have been designed to minimize the risk of adverse crop response while maintaining optimum weed control.

Apply **Autopista** to dry-seeded rice by ground or air at pre-emergence or post-emergence pre-flood. **Autopista** may be used pre-emergence, delayed pre-emergence prior to crop emergence or early post-emergence after the rice reaches the two leaf stage in drilled-seeded rice systems. **Autopista** applications are restricted to post-emergence after rice reaches its two leaf stage in water-seeded rice systems.

DO NOT apply when wind speed favors drift beyond the area intended for treatment or when environmental conditions exist for temperature inversions. Follow directions in **Spray Drift Management** section to minimize drift during applications.

Ground Application

Utilize a boom and nozzle sprayer equipped with the appropriate nozzles, spray tips and screens and adjusted to provide optimum spray distribution and coverage at the appropriate operating pressures. Utilize nozzles that produce minimal amounts of fine spray droplets to avoid spray drift or inadequate foliar and/or soil coverage. Apply a minimum of 10 gallons of finished spray per acre by ground. Be aware that overlaps and slower ground speeds while starting, stopping or turning while spraying may result in excessive application and subsequent crop response.

Aerial Application

Use nozzle types and arrangements that will provide optimum coverage while producing a minimal amount of fine droplets. Apply sufficient spray volume to achieve adequate coverage. Apply a minimum of 5 gallons of finished spray per acre. Higher spray volumes may help reduce spray drift and increase spray coverage.

Autopista 5LB Book US 83529-374 14626CR2.indd 6 11/11/26 11:42 AM

Pre-emergent Soil Applications

Rate Conversion Table

Rate OZ./A Product	Lb. A.I. Quinclorac/A	Lb. A.I. Carfentrazone-ethyl/A
4.0 oz.	0.1653	0.0098
8.0 oz.	0.3305	0.0195
10.7 oz.	0.4420	0.0261
12.1 oz.	0.4999	0.0295

Apply **Autopista** with appropriate burndown herbicide in conservation tillage systems where weeds are present. **Autopista** can be applied to the soils surface before, during or after planting but before emergence of rice in dry-seeded rice culture. Moist soil is required for activation of **Autopista**. If fields become dry weed control will diminish. Keep fields moist by regular flush irrigating until permanent flood. If fields do become dry, flush irrigating fields may restore weed control to weeds that are 1 inch or less tall. Soil type and texture also affect performance of **Autopista**. Refer to the "**Pre-emergence application rates per soil type in dry-seeded rice culture**" Table for proper use rates by soil type and texture.

PRE-EMERGENCE APPLICATION RATES PER SOIL TYPE IN DRY-SEEDED RICE CULTURE	
SOIL TEXTURE	**OZ./A Product**
Sand or loamy sand	DO NOT USE
Sandy loam	4.0 to 8.0 (0.0098 - 0.0195 Lb. A.I. Carfentrazone-ethyl/A) (0.1653 - 0.3305 Lb. A.I. Quinclorac/A)
Loam, silt loam, silt, or sand clay or sandy clay loam	8.0 to 10.7 (0.0195 - 0.0261 Lb. A.I. Carfentrazone-ethyl/A) (0.3305 - 0.4420 Lb. A.I. Quinclorac/A)
Silty clay loam, clay loam, clay loam or clay	10.7 to 12.1 (0.0261 - 0.0295 Lb. A.I. Carfentrazone-ethyl/A) (0.4420 - 0.4999 Lb. A.I. Quinclorac/A)
DO NOT use pre-emergence in water-seeded rice systems.	

Post-emergent Pre-flood Applications

Apply **Autopista** at 4.0 to 12.1 oz/A (0.0098 - 0.0295 Lb. A.I. Carfentrazone-ethyl/A) (0.1653 - 0.4999 Lb. A.I. Quinclorac/A). Apply when the rice is at the 2 leaf stage or larger, but prior to flooding, ideally not later than two days before flooding. For optimum results, **Autopista** should be applied to weeds up to 4 inches tall. Use a quality nonionic surfactant (NIS) at 0.25% v/v (2 pints per 100 gallons of spray solution) having at least 80% active ingredient. For more active treatments, use a Crop Oil Concentrate (COC) at 0.5 to 1.0% v/v (one half to one gallon per 100 gallons). The series from coarse to fine as noted in the following **Soil Classification Chart.**

SOIL CLASSIFICATION CHART

COARSE	MEDIUM	FINE
Sand	Sandy clay loam	Silty clay loam
Loamy Sand	Sandy clay	Silty clay
Sandy loam	Loam	Clay loam
	Silt loam	Clay
	Silt	

When used as directed **Autopista** will control the listed weeds.

For small weeds (less than 2 inches tall) use 4.0 to 12.1 oz./A (0.0098 - 0.0295 Lb. A.I. Carfentrazone-ethyl/A) (0.1653 - 0.4999 Lb. A.I. Quinclorac/A).

For larger weeds (between 3 and 4 inches) use 8.0 to 12.1 oz./A (0.0195 - 0.0295 Lb. A.I. Carfentrazone-ethyl/A) (0.3305 - 0.4999 Lb. A.I. Quinclorac/A).

WEEDS LIST

When **Autopista** is applied in accordance with the use directions on this label, **Autopista** applied alone or in recommended tank mixtures will provide control of the following weeds. Refer to the specific crop section.

COMMON NAME	SCIENTIFIC NAME
Barnyardgrass	*Echinochloa crus-galli*
Broadleaf signalgrass	*Brachiaria platyphylla*

(continued)

Autopista 5LB Book US 83529-374 14626CR2.indd 7 11/11/26 11:42 AM

WEEDS LIST *(continued)*

COMMON NAME	SCIENTIFIC NAME
Common cocklebur	*Xanthium strumarium*
Common purslane	*Portulaca oleracea*
Cutleaf ground-cherry	*Physalis angulate*
Eclipta	*Eclipta alba*
Hemp sesbania	*Sesbania exaltata*
Hophornbeam copperleaf	*Acalypha ostryifolia*
Jointvetch species	*Aeschynomene* spp.
Junglerice	*Echinochloa colonum*
Large crabgrass	*Digitaria sanguinalis*
Morningglory species	*Ipomoea* spp.
Pennslyvania smartweed	*Persicaria pensylvanica laevigata*
Pigweed species	*Amaranthus* spp.
Redweed	*Melochia corchorifolia*
Spreading dayflower	*Commelina diffusa*
Water hyssop	*Bacopa rotundifolia*

*for control of grasses and sedges not listed above, such as Panicum spp. and Sprangletop spp., tank mix with the appropriate post-emergence herbicide. Refer to the **Tank Mix** section of this label.

RESTRICTIONS

- Preharvest Interval (PHI): **DO NOT** apply **Autopista** 60 days before harvest.
- Maximum Single Use Rate: **DO NOT** apply more than 12.1 oz./A (0.5 lb. a.i. Quinclorac; 0.0295 lb. a.i. Carfentrazone-ethyl/A) of **Autopista** per application.
- Maximum Yearly Use Rate: **DO NOT** apply more than 12.1 oz./A (0.5 lb. a.i. Quinclorac; 0.0295 lb. a.i. Carfentrazone-ethyl/A) of **Autopista** per year.
- **DO NOT** make more than 1 application per year at maximum single use rate.
- When tank mixing or applications containing Quinclorac, **DO NOT** apply more than 0.5 lb. a.i./A of Quinclorac per year.
- When tank mixing or applications containing Carfentrazone-ethyl, **DO NOT** apply more than 0.138 lb. a.i./A of Carfentrazone-ethyl products per year.
- **DO NOT** apply **Autopista** to rice that is heading.
- **DO NOT** use rice straw or processing by-products (such as chaff, hulls, etc.) as soil amendments or mulch for high-value crops such as bedding stock, vegetable transplants, or ornamental and fruit trees.
- **DO NOT** use treated rice fields for the aquaculture of edible fish and crustaceans (crayfish).
- **DO NOT** use water from rice cultivation after a **Autopista** application to irrigate any crop other than rice.
- **DO NOT** use **Autopista** to formulate or reformulate any other pesticide product.
- **DO NOT** apply **Autopista** until rice fields are drained and the rice is at the 2 leaf stage in pinpoint or water seeded systems.
- **DO NOT** apply this product through any type of irrigation system.
- State Specific Restrictions: In Arkansas, applications of **Autopista** within the area of one-mile west of Highway #1 to one-mile east of Highway 163 from the Craighead/Poinsett County line to the Cross/Poinsett County line is prohibited. As well, aerial applications in the area of Poinsett County one-mile west of Highway #1 to two-miles west of Highway #1 and one-mile east of Highway #163 to Ditch #10, from the Craighead/Poinsett County line to the Cross/Poinsett County line are prohibited.
- Check for additional State restrictions in Arkansas by contacting the Arkansas Plant Board or a representative for specific instructions for applying **Autopista** in Arkansas.
- Only use for sites, pests, and application methods specified on this labeling.
- **DO NOT** apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.
- **Endangered Species:** It is a Federal offense to use any pesticide in a manner that results in the death of an endangered species. Use of this product may pose a hazard to endangered or threatened species. When using this product, you must follow the measures contained in the Endangered Species Protection Bulletin for the county in which you are applying the product. To obtain Bulletins, no more than six months before using this product, consult http://www.epa.gov/espp/ or call 1-800-447-3813. You must use the Bulletin valid for the month in which you will apply the product.
- **DO NOT** apply in California and Florida.

Crop Rotation Restrictions

- In the case of crop failure, only rice may be immediately replanted.
- Minimum plant back except for rice is 12 months.
- After 12 months, all other crops may be planted except:
- **DO NOT** plant tomatoes or carrots for 24 months after **Autopista** application was made.

Autopista 5LB Book US 83529-374 14626CR2.indd 8 11/11/26 11:42 AM

Soil Restrictions

- **DO NOT** use **Autopista** on precision-cut fields until the second rice crop as injury can occur.
- **DO NOT** use **Autopista** on sand and loamy sand soils.
- **DO NOT** apply to rice fields with a history of poor water-holding capacity (porous subsoil) as erratic weed control may result.
- **DO NOT** apply **Autopista** on any rice soil that does not have an impermeable hard pan to provide good water-holding capacity.

STORAGE AND DISPOSAL

DO NOT contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store product in original container only, away from other pesticides, fertilizer, food or feed. Store in a cool, dry place and avoid excess heat.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility. Improper disposal of unused pesticide, spray mixture, or rinse water is a violation of Federal law. If these wastes cannot be used according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER HANDLING:

Less Than or Equal to 5 Gallons: Nonrefillable container. **DO NOT** reuse or refill this container. Offer for recycling if available. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling if available or reconditioning if appropriate or puncture and dispose of in a sanitary landfill or by incineration.

Greater Than 5 Gallons: Refillable container. Refill this container with pesticide only. **DO NOT** reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from this container into application equipment or mix tank. Fill the container about 10% full with water. Agitate vigorously or recirculate water with the pump for two minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times.

Greater Than 5 Gallons: Nonrefillable container. **DO NOT** reuse or refill this container. Offer for recycling, if available. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Dispose of empty container in a sanitary landfill or by incineration.

For Bulk and Mini-Bulk Containers: Refillable container. Refill this container with pesticide only. **DO NOT** use this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the person refilling. To clean container before final disposal, empty the remaining contents from this container into application equipment or mix tank. Fill the container about 10% full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration, or by other procedures allowed by State and local authorities.

CONTAINER IS NOT SAFE FOR FOOD, FEED, OR DRINKING WATER!

CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product must be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather, presence of other materials or other influencing factors in the use of the product, which are beyond the control of Sharda USA LLC or Seller. To the extent consistent with applicable law, all such risks shall be assumed by Buyer and User, and Buyer and User agree to hold Sharda USA LLC and Seller harmless for any claims relating to such factors.

Sharda USA LLC warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. To the extent consistent with applicable law, this warranty does not extend to the use of this product contrary to label instructions, or under conditions not reasonably foreseeable to or beyond the control of Seller or Sharda USA LLC and Buyer and User assume the risk of any such use. To the extent consistent with applicable law, SHARDA USA LLC MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

To the extent consistent with applicable law, neither Sharda USA LLC nor Seller shall be liable for any incidental, consequential, or special damages resulting from the use or handling of this product. **TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF SHARDA USA LLC AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF SHARDA USA LLC OR SELLER, THE REPLACEMENT OF THE PRODUCT.**

Sharda USA LLC and Seller offer this product, and Buyer and User accept it, subject to the foregoing Conditions of Sale and Limitation of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of Sharda USA LLC.

All trademarks are the property of their respective owners.

Autopista 5LB Book US 83529-374 14626CR2.indd 9 11/11/26 11:42 AM

PRIMEROS AUXILIOS	
SI SE INGIERE:	• Llame de inmediato a un centro de control de envenenamientos o a un médico para consejo de tratamiento. • Si la persona puede tragar, haga que tome pequeños sorbos de agua. • **NO** induzca el vómito a menos que así se lo indique un centro de control de envenenamientos o un médico. • **NO** administre nada por boca a una persona que haya perdido el conocimiento.
SI CAE EN LA PIEL O LA ROPA:	• Quítese la ropa contaminada. • Enjuague la piel inmediatamente con bastante agua por 15 - 20 minutos. • Llame al centro de control de envenenamientos o a un médico para consejo de tratamiento.
SI ES INHALADO:	• Traslade a la persona al aire fresco. • Si la persona no está respirando llame al 911 o a una ambulancia, luego dé respiración artificial, preferiblemente de boca a boca, si es posible. • Llame al centro de control de envenenamientos o a un médico para consejo de tratamiento.
SI ENTRA EN CONTACTO CON LOS OJOS:	• Mantenga el ojo abierto y enjuáguelo lenta y cuidadosamente con agua, durante 15 a 20 minutos. • Si utiliza lentes de contacto, retírelos después de los primeros 5 minutos, luego continúe enjuagando los ojos. • Llame al centro de control de envenenamientos o a un médico para consejo de tratamiento.
NÚMERO DE TELÉFONO DIRECTO	
Cuando llame a un centro de control de envenenamientos o a un médico, o cuando acuda a recibir tratamiento, tenga a mano el envase o la etiqueta del producto. Para obtener información de emergencia sobre este producto, llame a su centro de control de envenenamientos al **1-800-222-1222**. Para obtener información que no sea de emergencia sobre este producto, comuníquese con el Centro Nacional de Información sobre Pesticidas (NPIC, por sus siglas en inglés) al 1-800-858-7378, de lunes a viernes, de 8 a. m. a 12 p. m., hora del Pacífico, o visite http://npic.orst.edu.	

DECLARACIONES PREVENTIVAS

RIESGOS PARA LOS SERES HUMANOS Y ANIMALES DOMÉSTICOS

PRECAUCIÓN

Dañino si se ingiere. Dañino si se absorbe a través de la piel. Dañino si se inhala. Causa irritación moderada en los ojos. Evite el contacto con la piel, los ojos o la ropa. Evite respirar la neblina de aspersión o los vapores. Lávese bien con agua y jabón después de manipular el producto y antes de comer, beber, masticar chicle, usar tabaco o usar el baño. Quítese y lave la ropa contaminada antes de volver a usarla. El contacto prolongado o repetido con la piel puede causar reacciones alérgicas en algunas personas.

EQUIPO DE PROTECCIÓN PERSONAL (PPE, POR SUS SIGLAS EN INGLÉS)

Los aplicadores y otros manipuladores deben usar:

- Camisa de manga larga y pantalones largos
- Guantes resistentes a productos químicos fabricados con laminado de barrera, goma de butilo de ≥ 14 milésimas de pulgada, goma de nitrilo de ≥ 14 milésimas de pulgada o Viton de ≥ 14 milésimas de pulgada
- Zapatos y calcetines
- Protección ocular

Deseche la ropa y otros materiales absorbentes que hayan quedado empapados o muy contaminados con este producto. **NO** los vuelva a utilizar. Siga las instrucciones del fabricante para la limpieza y el mantenimiento del PPE. Si no existen instrucciones para artículos lavables, use detergente y agua caliente. Mantenga y lave el PPE por separado del resto de la ropa.

CONTROLES TÉCNICOS

Cuando los manipuladores utilicen sistemas cerrados, cabinas cerradas o aeronaves de una manera que cumpla los requisitos establecidos en la Norma de Protección del Trabajador (WPS, por sus siglas en inglés) para pesticidas agrícolas [40 CFR 170.240(d)(4-6)], los requisitos de PPE para los manipuladores pueden reducirse o modificarse según se especifica en la WPS.

RECOMENDACIONES DE SEGURIDAD DEL USUARIO

Los usuarios deben:

- Quitarse inmediatamente la ropa o el PPE si el pesticida penetra en ellos. Luego deben lavarse bien y ponerse ropa limpia.
- Lavarse las manos antes de comer, beber, masticar chicle, usar tabaco o usar el baño.
- Lavar y quitarse el PPE inmediatamente después de manipular este producto. Lavar la parte exterior de los guantes antes de quitárselos. Tan pronto como sea posible, lavarse bien y ponerse ropa limpia.

RIESGOS AMBIENTALES

Constituye una infracción federal utilizar cualquier pesticida de una manera que provoque la muerte de una especie en peligro de extinción. Consulte la sección **Especies en peligro de extinción** en la sección Instrucciones de uso de esta etiqueta.

Este pesticida es muy tóxico para las algas y moderadamente tóxico para los peces. **NO** aplique directamente al agua, a áreas donde haya agua superficial ni a áreas intermareales por debajo de la marca media de pleamar. La deriva y la escorrentía pueden ser peligrosas para las plantas terrestres y acuáticas de las áreas vecinas. **NO** contamine el agua al desechar las aguas de lavado del equipo o las aguas de enjuague.

Autopista 5LB Book US 83529-374 14626CR2.indd 10 11/11/26 11:42 AM

Declaración de advertencia para peces: Este producto puede ser peligroso para los organismos acuáticos, particularmente en cuerpos de agua claros y poco profundos adyacentes a las áreas tratadas. Debe evitarse el transporte de este producto al agua por escorrentía o deriva de la aspersión en áreas donde haya agua superficial o en áreas intermareales por debajo de la marca media de pleamar. **NO** contamine el agua al desechar las aguas de lavado del equipo o las aguas de enjuague.

Declaración de advertencia para organismos no objetivo: Este producto es tóxico para las plantas y puede afectar negativamente al forraje y al hábitat de organismos no objetivo, incluidos los polinizadores, en áreas adyacentes al lugar tratado. Proteja el forraje y el hábitat de los organismos no objetivo minimizando la deriva de la aspersión.

Esta sustancia química tiene propiedades y características asociadas con sustancias químicas detectadas en aguas subterráneas. El uso de esta sustancia química donde los suelos son permeables, particularmente donde el nivel freático es poco profundo, puede provocar la contaminación de las aguas subterráneas.

El uso de este producto de forma contraria a lo indicado en su etiqueta constituye una infracción de la ley federal.

ALMACENAMIENTO Y DESECHO

NO contamine el agua, los alimentos ni los forrajes durante el almacenamiento o el desecho.

ALMACENAMIENTO DE PESTICIDAS: Almacene el producto únicamente en su envase original, alejado de otros pesticidas, fertilizantes, alimentos o forrajes. Almacene en un lugar fresco y seco y evite el calor excesivo.

DESECHO DE PESTICIDAS: Los residuos resultantes del uso de este producto deben eliminarse en el lugar o en una instalación aprobada para la eliminación de residuos. La eliminación inadecuada de pesticida no utilizado, mezcla de aspersión o agua de enjuague constituye una infracción de la ley federal. Si estos residuos no pueden utilizarse de acuerdo con las instrucciones de la etiqueta, comuníquese con la agencia estatal de pesticidas o de control ambiental, o con el representante de residuos peligrosos de la Oficina Regional de la EPA más cercana para obtener orientación.

MANIPULACIÓN DEL ENVASE:

Menor o igual a 5 galones: Envase no rellenable. **NO** reutilice ni rellene este envase. Ofrézcalo para reciclaje si está disponible. Enjuague tres veces el envase (o procedimiento equivalente) inmediatamente después de vaciarlo. Enjuague tres veces de la siguiente manera: vacíe el contenido restante en el equipo de aplicación o en un tanque de mezcla y drene durante 10 segundos después de que el flujo comience a gotear. Llene el envase hasta 1/4 de su capacidad con agua y vuelva a taparlo. Agite durante 10 segundos. Vierta las aguas de enjuague en el equipo de aplicación o en un tanque de mezcla, o almacénelas para su uso o eliminación posterior. Drene durante 10 segundos después de que el flujo comience a gotear. Repita este procedimiento dos veces más. Luego ofrézcalo para reciclaje, si está disponible, o para reacondicionamiento, si corresponde, o perfórelo y deséchelo en un relleno sanitario o mediante incineración.

Mayor de 5 galones - Rellenable: Envase rellenable. Rellene este envase únicamente con pesticida. **NO** reutilice este envase para ningún otro fin. La limpieza del envase antes de su eliminación final es responsabilidad de la persona que lo elimina. La limpieza antes de rellenarlo es responsabilidad de la persona que lo rellena. Para limpiar el envase antes de su eliminación final, vacíe el contenido restante en el equipo de aplicación o en un tanque de mezcla. Llene el envase aproximadamente al 10% de su capacidad con agua. Agite vigorosamente o haga recircular el agua con la bomba durante dos minutos. Vierta o bombee las aguas de enjuague en el equipo de aplicación o en un sistema de recolección de aguas de enjuague. Repita este procedimiento de enjuague dos veces más.

Mayor de 5 galones - No rellenable: Envase no rellenable. **NO** reutilice ni rellene este envase. Ofrézcalo para reciclaje, si está disponible. Enjuague tres veces el envase (o procedimiento equivalente) inmediatamente después de vaciarlo. Enjuague tres veces de la siguiente manera: vacíe el contenido restante en el equipo de aplicación o en un tanque de mezcla. Llene el envase hasta 1/4 de su capacidad con agua. Vuelva a colocar y ajuste los cierres. Coloque el envase de lado y hágalo rodar hacia adelante y hacia atrás, asegurándose de que complete al menos una vuelta completa, durante 30 segundos. Coloque el envase sobre uno de sus extremos e inclínelo hacia adelante y hacia atrás varias veces. Voltee el envase sobre el otro extremo e inclínelo hacia adelante y hacia atrás varias veces. Vacíe las aguas de enjuague en el equipo de aplicación o en un tanque de mezcla, o almacénelas para su uso o eliminación posterior. Repita este procedimiento dos veces más. Deseche el envase vacío en un relleno sanitario o mediante incineración.

Para envases a granel y mini-granel: Envase rellenable. Rellene este envase únicamente con pesticida. **NO** utilice este envase para ningún otro fin. La limpieza del envase antes de su eliminación final es responsabilidad de la persona que lo elimina. La limpieza antes de rellenarlo es responsabilidad de la persona que lo rellena. Para limpiar el envase antes de su eliminación final, vacíe el contenido restante en el equipo de aplicación o en un tanque de mezcla. Llene el envase aproximadamente al 10% de su capacidad con agua. Agite vigorosamente o haga recircular el agua con la bomba durante 2 minutos. Vierta o bombee las aguas de enjuague en el equipo de aplicación o en un sistema de recolección de aguas de enjuague. Repita este procedimiento de enjuague dos veces más. Luego ofrézcalo para reciclaje, si está disponible, o perfórelo y deséchelo en un relleno sanitario, mediante incineración o mediante otros procedimientos permitidos por las autoridades estatales y locales.

¡EL ENVASE NO ES SEGURO PARA ALIMENTOS, FORRAJES NI AGUA POTABLE!

Autopista 5LB Book US 83529-374 14626CR2.indd 11 11/11/26 11:42 AM

NOTES

Autopista 5LB Book US 83529-374 14626CR2.indd 12 11/11/26 11:42 AM

QUINCLORAC	GROUP	4	HERBICIDE
CARFENTRAZONE-ETHYL	GROUP	14	HERBICIDE

Autopista

For Use Only by Certified and/or Licensed Pesticide Applicators.

ACTIVE INGREDIENTS	WT. BY %
Carfentrazone-ethyl:	3.9%
Quinclorac:.	66.1%
OTHER INGREDIENTS:	30.0%
TOTAL:	**100.0%**

KEEP OUT OF REACH OF CHILDREN

CAUTION / PRECAUCIÓN

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand this label, find someone to explain it to you in detail.)

See label booklet for complete Precautionary Statements, Directions For Use, and Storage and Disposal.

FIRST AID	
IF SWALLOWED:	• Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • **DO NOT** induce vomiting unless told to do so by a poison control center or doctor. • **DO NOT** give anything by mouth to an unconscious person.
IF ON SKIN OR CLOTHING:	• Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15 - 20 minutes. • Call a poison control center or doctor for treatment advice.
IF INHALED:	• Move person to fresh air. • If person is not breathing, call 911 or an ambulance, and then give artificial respiration, preferably mouth-to-mouth if possible. • Call a poison control center or doctor for treatment advice.
IF IN EYES:	• Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
HOTLINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor or going for treatment. For emergency information concerning this product, call your poison control center at **1-800-222-1222**. For non-emergency information on this product, contact the National Pesticides Information Center (NPIC) at 1-800-858-7378, Monday through Friday, 8 AM to 12 PM PST. or at http://npic.orst.edu.	

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. Harmful if absorbed through skin. Harmful if inhaled. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Avoid breathing spray mist or vapor. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

ENVIRONMENTAL HAZARDS

It is a Federal offense to use any pesticide in a manner that results in the death of an endangered species. See the **Endangered Species** section in the Directions for Use section of this labeling.

This pesticide is very toxic to algae and moderately toxic to fish. **DO NOT** apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Drift and runoff may be hazardous to terrestrial and aquatic plants in neighboring areas. **DO NOT** contaminate water when disposing of equipment wash-waters or rinsate.

Fish Advisory Statement: This product may be hazardous to aquatic organisms, particularly in clear, shallow water bodies that are adjacent to treated areas. Transport to water by runoff or spray drift of this product in areas where surface water is present, or intertidal areas below the mean high water mark, should be avoided. **DO NOT** contaminate water when disposing of equipment wash water or rinsate.

Non-Target Organism Advisory Statement: This product is toxic to plants and may adversely impact the forage and habitat of non-target organisms, including pollinators, in areas adjacent to the treated site. Protect the forage and habitat of non-target organisms by minimizing spray drift.

This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with this labeling. For any requirements specific to your state or tribe, consult the agency responsible for pesticide regulation.

STORAGE AND DISPOSAL

DO NOT contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store product in original container only, away from other pesticides, fertilizer, food or feed. Store in a cool, dry place and avoid excess heat.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility. Improper disposal of unused pesticide, spray mixture, or rinse water is a violation of Federal law. If these wastes cannot be used according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER HANDLING: Less Than or Equal to 5 Gallons: Nonrefillable container. **DO NOT** reuse or refill this container. Offer for recycling if available. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling if available or reconditioning if appropriate or puncture and dispose of in a sanitary landfill or by incineration.

CONTAINER IS NOT SAFE FOR FOOD, FEED, OR DRINKING WATER!

Manufactured For: Sharda USA LLC, 7217 Lancaster Pike, Suite A, Hockessin, Delaware 19707

EPA Reg. No. 83529-374

EPA Est. No. AG 72159-GA-001; MC 89332-GA-001; SC 39578-TX-001

The EPA Establishment Number is identified by the circled letters above that match the first two letters in the batch number.

Net Contents: **5 lbs.**

OPEN HERE